Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((preamble adj1 channel) and traffic adj1 channel) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/31 09:20
L2	7	((preamble adj1 channel) and traffic adj1 channel) and preamble with length and preamble with packet\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/31 10:27
L4	5	((preamble adj1 channel) and traffic adj1 channel) and preamble with length with information	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/31 10:27
L6	1	"5414796" and preamble adj1 length and (first adj1 preamble) with channel and second adj1 preamble with channel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/31 11:08
S1	54	"5930230"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/15 11:01
S2	1183	"4901307"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/15 11:06
S3	. 7	(Packet adj1 Data adj1 Control adj1 Channel or PDCCH) with (1\$1bit or 2\$1bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/15 12:03
S4	.0	(Bae with Sang-Min) or ( cho with Young-Kwon) or (Choi with Ho-Kyu) or (Kim with Youn-Sun) or (Heo with Jin-Woo) or (Hwang with Jong-Yoon) or (Lee with Hyun-Woo) or (Kim with Sung-Jin) or (Yi with Chu-Hyon) or (Ku with Sun-Gi) or (Kwon with Hwan-Joon) or (Lee with Ju-Ho)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 14:05
S5	1	(first and second) adj1 preamble adj1 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 14:08
S6	9	(first and second) adj1 preamble with channel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 14:54
<b>S</b> 7	12 <del>44</del>	"5103459"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 15:14
S8	362	"5414796"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 15:13
S9	157	"4901307" and preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 15:15
S10	174	"5103459" and preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 15:14
S11	1	(first and second) adj1 preamble with channel\$1 with length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 15:16

S12	6	"5103459" and preamble adj1 length and (first adj1 preamble) and second adj1 preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:35
S13	6	"5414796" and preamble adj1 length and (first adj1 preamble) and second adj1 preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/31 11:08
S14	18	"5414796" and preamble adj1 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:29
S15	22	"4901307" and preamble adj1 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:29
S16	25	"5103459" and preamble adj1 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:29
S17	3	"4901307" and (((first adj1 preamble) and (second adj1 preamble)) with channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:36
S18	3	"5103459" and (((first adj1 preamble) and (second adj1 preamble)) with channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:41
S19	2	"5103459" and (first adj1 preamble) and second adj1 preamble with packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/13 16:40
S20	18	(first adj1 preamble) and second adj1 preamble with packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 16:41
S21	2	(preamble adj1 channel with packet\$1 with length) and (traffic adj1 channel\$1 with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:23
S22	8	((first adj1 preamble) with (second adj1 preamble)) with packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 10:25
S23	3	(preamble adj1 channel) and (traffic adj1 channel\$1 with packet\$1 with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 10:27
S24	11	(preamble adj1 channel) and (traffic adj1 channel\$1 with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 10:39
S25	1	"6505034".PN.	USPAT	OR	OFF	2004/07/14 10:38
S26	1	"6021124".PN.	USPAT	OR	OFF	2004/07/14 10:39
S27	3	"6625172"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 10:39
S28	2	(preamble adj1 channel with length) and (traffic adj1 channel\$1 with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 10:46

			,			r
S29	1	((first adj1 preamble) with (second adj1 preamble)) with (packet\$1 and channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 10:47
S30	12	F\$1PPDCCH	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 11:35
531	1	(F\$1PPDCCH and F\$1SPDCCH) with preamble with length with traffic adj1 channel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:30
532	11	F\$1PPDCCH and F\$1SPDCCH	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 11:44
S33	1	"6473419".PN.	USPAT	OR	OFF	2004/07/14 11:40
534	1	"6434367".PN.	USPAT	OR	OFF	2004/07/14 11:41
535	1	"5987012".PN.	USPAT	OR	OFF	2004/07/14 11:41
S36	8	F\$1PPDCCH and F\$1SPDCCH and walsh adj1 code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:44
S37	19	(Packet adj1 Data adj1 Control adj1 Channel or PDCCH) with (primary and secondary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 11:56
S38	32	(Packet adj1 Data adj1 Control adj1 Channel or PDCCH) with (one adj1 bit or twoadj1 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 11:59
S39	3	(Packet adj1 Data adj1 Control adj1 Channel or PDCCH) with (one adj1 bit or two adj1 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 12:01
S40	12	((Bae with Sang-Min) or ( cho with Young-Kwon) or (Choi with Ho-Kyu) or (Kim with Youn-Sun) or (Heo with Jin-Woo) or (Hwang with Jong-Yoon) or (Lee with Hyun-Woo) or (Kim with Sung-Jin) or (Yi with Chu-Hyon) or (Ku with Sun-Gi) or (Kwon with Hwan-Joon) or (Lee with Ju-Ho)) and block adj1 encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 14:06
S41	8	((Odenwalder with Joseph) or (Sarkar with Sandip) or (Lundby with Stein)) and block adj1 encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 15:52
542	1	((Odenwalder with Joseph) or (Sarkar with Sandip) or (Lundby with Stein)) and (block adj1 encod\$3) and (QPSK with modulat\$4) and (sequence with repetition) and (walsh adj1 cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 14:19
S43	12	(block adj1 encod\$3) and (QPSK with modulat\$4) and (sequence with repetition) and (walsh adj1 cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 14:21
544	2	(block adj1 encod\$3) and (QPSK adj1 modulat\$4) and (sequence adj1 repetition) and (walsh adj1 cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 14:22
S45	15	08/722763	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/15 11:01

		•				
S46	7	((Odenwalder with Joseph) or (Sarkar with Sandip) or (Lundby with Stein)) and block adj1 encod\$3 and ((squence or symbol\$1) adj1 repetition) and modulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 15:57
S47	5	((Odenwalder with Joseph) or (Sarkar with Sandip) or (Lundby with Stein)) and block adj1 encod\$3 and ((squence or symbol\$1) adj1 repetition) and (modulat\$3 with QPSK) and walsh adj1 cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 15:59
S48	. 3	((Odenwalder with Joseph) or (Sarkar with Sandip) or (Lundby with Stein)) and block adj1 encod\$3 and ((squence or symbol\$1) adj1 repetition) and (modulat\$3 with QPSK) and walsh adj1 cod\$3 and preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 16:08
S49	16	block adj1 encod\$3 and ((squence or symbol\$1) adj1 repetition) and (modulat\$3 with QPSK) and walsh adj1 cod\$3 and (preamble and length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2004/07/14 16:10
S50	11	block adj1 encod\$3 and ((squence or symbol\$1) adj1 repetition) and (modulat\$3 with QPSK) and walsh adj1 cod\$3 and (preamble adj1 length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 16:10
S51	58	"5414796" and preamble	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 16:34
S52	2	(first adj1 preamble) and second adj1 preamble with packet\$1 with length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/14 16:41
S88 1	2	(first and second) adj1 preamble with channel\$1 and payload with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 14:55
S88 2	29	(first and second) with preamble with channel\$1 and payload with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 14:55
S88 3	1	(first and second) with preamble with length with channel\$1 and payload with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 14:55
S88 4	7	(first and second) with preamble with channel\$1 and payload with bit and preamble with length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:01
S88 5	36	"4757536"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:08
588 6	12	"6285681"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:05
S88 7	19	"6018555"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:01
S89 1	1	"6018555" and preamble with (channel and length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:03
S89 4	1	"6285681" and preamble with (channel and length and packet) and payload	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:07

Coo T		#4757576" and are table with (channel and length and english)	US-PGPUB;	OR	ON	2005/05/26 15:00
S89 6	0	"4757536" and preamble with (channel and length and packet)	USPAT; EPO; JPO; DERWENT	OR .	ON	2005/05/26 15:08
S89 7	5	(preamble with channel with packet\$1 with length) and (traffic with channel\$1 with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:29
S90 2	250	block with encod\$3 and repetit\$3 and modulat\$3 and walsh with cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:27
S90 3	6	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh with cover\$3 with \$3-ary	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:35
S90 4	9	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh with cover\$3 with \$4ary	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:35
S90 5	189	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh with cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:42
S90 7	8	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh adj1 cover\$3 with \$4ary	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 08:57
S90 8	1	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh adj1 cover\$3 with ("128-ary" or "256-ary")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:42
S91 0	3	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh adj1 cover\$3 and ("128-ary" or "256-ary")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:44
S91 1	1	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh adj1 cover\$3 and ("128-ary" and "256-ary")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:43
S91 6	1	(modulat\$3 with spread\$3 and walsh with cover\$3 with ("128-ary" or "256-ary"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:46
S91 8	. 2	(modulat\$3 and spread\$3 and walsh with cover\$3 with ("128-ary" or "256-ary"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:47
S91 9	32	(modulat\$3 and spread\$3 and walsh with cod\$3 with ("128-ary" or "256-ary"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:55
S92 1	10	(modulat\$3 and spread\$3 and walsh with cod\$3 with ("256-ary"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:48
S92 2	1	block adj2 encod\$3 and (repetit\$3 or repeater) with symbol and modulat\$3 and walsh adj2 cover\$3 with 256-ary	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 15:57
S92 3	8	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh adj1 cover\$3 with \$5ary	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2005/05/27 08:57

S92	5	block with encod\$3 and repetit\$3 with symbol and modulat\$3	US-PGPUB;	OR .	ON	2005/05/27 09:47
4		and walsh adj1 cover\$3 with \$3-ary	USPAT; EPO; JPO; DERWENT			
S92 5	12	(F\$1PPDCCH and F\$1SPDCCH)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:40
S92 6	5	(F\$1PPDCCH and F\$1SPDCCH) and modulat\$3 and walsh adj2 cover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:33
S92 7	6	(F\$1PPDCCH or F\$1SPDCCH) and modulat\$3 and walsh adj2 cover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:33
S92 8	14	(F\$3PPDCCH or F\$3SPDCCH) and walsh adj3 code and modulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:48
S92 9	8	(F\$3PPDCCH or F\$3SPDCCH) and walsh with cover\$3 and modulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:48
S93 0	534	walsh with cover\$3 and modulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:48
S93 1	290	walsh adj1 cover\$3 and modulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:49
S93 2	212	walsh adj1 cover\$3 and modulat\$3 and (repeti\$4 or repeat\$3) and encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:50
593 3	15	(walsh adj1 cover\$3) with walsh with cod\$3 with \$4ary and modulat\$3 and (repeti\$4 or repeat\$3) and encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:53
S93 4	105	(walsh adj1 cover\$3) with walsh with cod\$3 and modulat\$3 and (repeti\$4 or repeat\$3) and encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 11:12
S93 5	51	(walsh adj1 cover\$3) with walsh adj2 cod\$3 and modulat\$3 and (repeti\$4 or repeat\$3) and encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 11:09
S93 6	34	(walsh adj1 cover\$3) with walsh adj2 cod\$3 and modulat\$3 and (repeti\$4 or repeat\$3) and encod\$3 and "I" with "Q"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:58
S93 7	40	(walsh adj2 cover\$3) with walsh adj2 cod\$3 and modulat\$3 and (repeti\$4 or repeat\$3) and encod\$3 and "I", with "Q"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 10:58
S93 8	1	"20020105929" and symbol with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:53

			,			
594 2		"20020105929" and symbol with \$2bit with ((three or "3") and ("2" or two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:59
594 3	189	block with encod\$3 and repetit\$3 with symbol and modulat\$3 and walsh with cod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:43
594 7	1	encod\$3 with ((two or "2") adj1 bit\$1 adj1 symbol\$4 with (three or "3") adj1 cod\$3 adj1 symbol\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:47
594 8	10	encod\$3 with ((two or "2") adj1 bit\$1 with symbol\$4 with (three or "3") adj1 cod\$3 with symbol\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:07
594 9	3	encod\$3 with ((two or "2") adj1 bit\$1 with symbol\$4 with (three or "3") adj1 cod\$3 adj2 symbol\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:49
S95 0	133	block adj1 encod\$3 with ("(2,3)" or ((("2" or two) adj1 input) with ((three or "3") adj1 (code adj1 symbol))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:59
S95 8	1	block adj1 encod\$3 with (((("2" or two) adj1 (input or bit\$1)) with ((three or "3") adj1 (code adj1 symbol))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:00
S95 9		block adj1 encod\$3 with ("2/3" or "2:3") adj1 cod\$3 adj1 rate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:09
S96 0	33	block adj1 encod\$3 with cod\$3 adj1 rate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:09
S96 4	115	encod\$3 with ("2/3" or "2:3") with cod\$3 adj1 rate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:27
S96 5	3	encod\$3 with ("2/3" or "2:3") with cod\$3 adj1 rate and modulat\$3 with walsh	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:27
S96 6	11	encod\$3 with ("2/3" or "2:3") with cod\$3 adj1 rate and modulat\$3 with (repeat\$3 or repeti\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:36
S96 7	0	encod\$3 with ("2/3" or "2:3") with cod\$3 adj1 rate near (advantage or benifit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:37
S96 8	0	encod\$3 with ("2/3" or "2:3") with cod\$3 adj1 rate with (advantage or benifit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:37
S96 9	4	encod\$3 with ("2/3" or "2:3") with (advantage or benifit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 16:39

S97	0	encod\$3 with ("2/3" or "2:3") near (advantage or benifit)	US-PGPUB;	OR	ON	2005/05/27 16:37
0			USPAT; EPO; JPO; DERWENT			
S97 1	17	encod\$3 with ("2/3" or "2:3") with (advantage or benifit or improv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 18:31
597 2	0	(convolution\$3 with tail adj1 bit with encod\$3) near (advantage or benifit or improv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 18:32
S97 3	2	(convolution\$3 with tail adj1 bit with encod\$3) with (advantage or benifit or improv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 19:07
597 4	2	generat\$3 with ((first and second) with preamble adj1 channel) and traffic adj1 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 19:08
S97 7	1	(((first and second) with preamble with channel) and traffic) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 19:09
S97 8	1	((((power adj2 control) with preamble with channel) and traffic) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/31 09:19